



ISSN: 0976-3031

Available Online at <http://www.recentscientific.com>

CODEN: IJRSFP (USA)

International Journal of Recent Scientific Research
Vol. 9, Issue, 1(I), pp. 23502-23506, January, 2018

**International Journal of
Recent Scientific
Research**

DOI: 10.24327/IJRSR

Review Article

EFFECT OF CHLORHEXIDINE AND SODIUM HYPOCHLORITE IRRIGATING SOLUTIONS ON THE PUSH-OUT BOND STRENGTH OF BIODENTINE ROOT REPAIR MATERIAL- A SYSTEMATIC REVIEW

Nitika Tiwari*, Anamika C.Borkar., Ujjwal Gupta and Nikhil Nighot

DR. DY. Patil Dental College and Hospital, DR. DY. Patil Vidyapeeth, Pimpri, Pune

DOI: <http://dx.doi.org/10.24327/ijrsr.2018.0901.1481>

ARTICLE INFO

Article History:

Received 5th October, 2017

Received in revised form 7th
October, 2017

Accepted 23rd December, 2017

Published online 28th January, 2018

Key Words:

Chlorhexidine, Sodium hypochlorite,
Push-out Bond Strength, Biodentine root
repair material

ABSTRACT

Introduction: The operator should immediately repair the furcation perforations with an endodontic material in order to minimize the bacterial contamination and the irritation of periodontal tissues because of the usage of endodontic irrigants. After repairing the furcal perforation, endodontic treatment should be performed with various irrigants including 2% chlorhexidine gluconate (CHX) and sodium hypochlorite (NaOCl) solutions to disinfect the root canal system. However, this procedure causes unavoidable contact of irrigants with the repair materials. Thus, the purpose of this systematic review was to evaluate the effect of various endodontic irrigants on the push-out bond strength of Biodentine root repair material.

Method: Electronic search of PubMed, Google Scholar, Institutional Library, CTRI, Ind Med, Google and manual search using DPU college library resources. and E-mail to authors revealing information about push-out bond strength of biodentine in contact with chlorhexidine and sodium hypochlorite. All cross reference lists of the selected studies were screened for additional papers that could meet the eligibility criteria of the study.

Results: Total of 5802 articles were searched out of which 10 articles were selected after reading title and abstract. As a second step, full text papers were obtained. However studies in which effect of Chlorhexidine and Sodium Hypochlorite on the Push-out Bond Strength of Biodentine root repair material were selected. Finally a total of 10 articles were included out of which 7 articles were excluded on basis of insufficient data and 3 articles were selected for final synthesis.

Conclusion: Push-out bond strength was more when Biodentine was in contact with sodium hypochlorite.

Copyright © Nitika Tiwari *et al*, 2018, this is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original work is properly cited.

INTRODUCTION

A successful endodontic therapy depends on thorough chemomechanical preparation of root canal system as well as three-dimensional obturation that provides complete sealing of spaces previously occupied by canal contents.¹ Procedural accidents like perforation that occur during endodontic treatment can affect the long term prognosis of the tooth. Root perforation is an artificial communication between the root canal system and the supporting tissues of the tooth or the oral cavity.² Perforations in endodontics can occur during:

1. Access preparation
2. Canal location and identification
3. Root canal instrumentation
4. Post space preparation

The perforation normally occurs in the cervical area of the tooth in anterior teeth, or in the furcation area of posterior teeth, as a result of length of the bur being used.³ Furcation perforation is a procedural complication that can occur during endodontic treatment or post space preparation of teeth (4). An ideal perforation repair material should provide a tight seal between the oral environment and peri radicular tissues. It also should remain in place under dislodging forces, such as mechanical loads of occlusion or the condensation of restorative materials over it (5-8).

Although many dental materials have been tried including amalgam, Cavit (ESPE, Seefeld, Germany), composite resin, glass ionomer cement, calcium hydroxide, Super EBA (Harry J Bosworth, Skokie, IL), intermediate restorative material (IRM; Dentsply DeTrey, Konstanz, Germany), and mineral trioxide aggregate (MTA), most of these materials show significant

*Corresponding author: Nitika Tiwari

DR. DY. Patil Dental College and Hospital, DR. DY. Patil Vidyapeeth, Pimpri, Pune

shortcomings in one or more of the following areas: solubility, leakage, biocompatibility, handling properties, and moisture incompatibility (9-14).

A variety of new calcium silicate-based materials have been developed recently aiming to improve MTA shortcomings (15,16). Biodentine (Septodont, Saint Maur des Fossés, France) is a high-purity calcium silicate-based dental material composed of tricalcium silicate, calcium carbonate, zirconium oxide, and a water-based liquid containing calcium chloride as the setting accelerator and water-reducing agent. Biodentine is recommended for use as a dentin substitute under resin composite restorations and an endodontic repair material because of its good sealing ability, high compressive strengths, short setting time (16, 17), biocompatibility, bioactivity, and biomineralization properties (18, 19).

The perforation normally occurs in the cervical area of the tooth in anterior teeth, or in the furcation area of posterior teeth, as a result of length of the bur being used.³ Furcation perforation is a procedural complication that can occur during endodontic treatment or post space preparation of teeth (4). An ideal perforation repair material should provide a tight seal between the oral environment and peri radicular tissues. It also should remain in place under dislodging forces, such as mechanical loads of occlusion or the condensation of restorative materials over it (5-8).

Although many dental materials have been tried including amalgam, Cavit (ESPE, Seefeld, Germany), composite resin, glass ionomer cement, calcium hydroxide, Super EBA (Harry J Bosworth, Skokie, IL), intermediate restorative material (IRM; Dentsply DeTrey, Konstanz, Germany), and mineral trioxide aggregate (MTA), most of these materials show significant shortcomings in one or more of the following areas: solubility, leakage, biocompatibility, handling properties, and moisture incompatibility (9-14).

A variety of new calcium silicate-based materials have been developed recently aiming to improve MTA shortcomings (15,16). Biodentine (Septodont, Saint Maur des Fossés, France) is a high-purity calcium silicate-based dental material composed of tricalcium silicate, calcium carbonate, zirconium oxide, and a water-based liquid containing calcium chloride as the setting accelerator and water-reducing agent. Biodentine is recommended for use as a dentin substitute under resin composite restorations and an endodontic repair material because of its good sealing ability, high compressive strengths, short setting time (16, 17), biocompatibility, bioactivity, and biomineralization properties (18, 19).

Clinically, the operator should immediately repair the furcation perforations with an endodontic material in order to minimize the bacterial contamination and the irritation of periodontal tissues because of the usage of endodontic irrigants (20). After repairing the furcal perforation, endodontic treatment should be performed with various irrigants including 2% chlorhexidine gluconate (CHX) and sodium hypochlorite (NaOCl) solutions to disinfect the root canal system (21). However, this procedure causes unavoidable contact of irrigants with the repair materials. There is no information about the effect of endodontic irrigants on the push-out bond strength of Biodentine.

Push-out test is a test to measure the interfacial shear strength developed between different surfaces. It provides information about the adhesive property of the material tested[22] and helps to understand the resistance of the tested material to dislodgement, that is how well the material can bind to the tooth structure. Greater the push-out strength, greater is the adhesion between the tested material and the tooth surface. In endodontics, the push-out bond strength is done for root end filling, perforation repair, obturation, and root canal sealer materials, to study their resistance to dislodgement.[23,24]

Thus, the purpose of this systematic review was to evaluate the effect of various endodontic irrigants on the push-out bond strength of Biodentine root repair material.

METHODS

Inclusion criteria

1. Articles in English or those having detailed summary in English.
2. Studies published between 2005-2017
3. In vitro studies providing information on push-out bond strength of Biodentine when in contact with Chlorhexidine and Sodium Hypochlorite.

Exclusion criteria

1. Case reports, abstracts, letters to editors, editorials and animal studies.
2. Human studies.

PICO

- P - Participants: Extracted human teeth.
- I - Intervention: Chlorhexidine
- C - Comparison: Sodium Hypochlorite
- O - Outcomes: Push out bond strength

Sr. No.	Search strategy	Number of articles	Number of selected articles	After Duplicate Removal
Search Strategy 1	Biodentine AND push-out bond strength AND chlorhexidine	1	1	1
Search Strategy 2	Biodentine AND push-out bond strength AND sodium hypochlorite	2	2	1
Search Strategy 3	Biodentine AND push-out bond strength AND chlorhexidine AND sodium hypochlorite	1	1	1
Search Strategy 4	Biodentine OR root repair material AND push out bond strength AND chlorhexidine OR irrigants	1930	1	1
Search Strategy 5	Biodentine OR root repair material AND push out bond strength AND sodium hypochlorite OR irrigants	1932	1	1
Search Strategy 6	Biodentine OR root repair material AND push out bond strength AND sodium hypochlorite OR irrigants AND chlorhexidine or irrigants	1930	1	1

Two Internet sources of evidence were used in the search of appropriate papers satisfying the study purpose: the National Library of Medicine (MEDLINE PubMed) and the Cochrane Central Register of Controlled Trials (CENTRAL), Google Scholar, Google, Clinical trials registry and manual search using DPU college library resources. All cross reference lists of the selected studies were screened for additional papers that could meet the eligibility criteria of the study. The databases were searched up to and including 2017 using the search strategy.

METHOD

Preliminary screening consisted total of 5802 articles out of which 5792 articles were selected. The papers were screened independently by two reviewers. At first the papers were screened by title and abstract. As a second step, full text papers were obtained when they fulfilled the criteria of the study aim. Any disagreement between the two reviewers was resolved after additional discussion. For full-text screening, the following criteria were taken into consideration: In-vitro studies done on human extracted teeth in which Effect of Chlorhexidine and Sodium Hypochlorite on the push-out Bond Strength of Biodentine root repair material.

Finally a total of 10 articles were included out of which 3 articles was finally synthesized in this systematic review.


Data Collection Process

A standard pilot form in excel sheet was initially used and then all those headings not applicable for review were removed. Data extraction was done for one article and this form was reviewed by an expert and finalized. This was followed by data extraction for all the articles.

RESULT

DISCUSSION

A successful endodontic therapy depends on thorough chemo-mechanical preparation of root canal system as well as three-dimensional obturation that provides complete sealing of spaces previously occupied by canal contents.¹ Procedural accidents like perforation that occur during endodontic treatment can affect the long term prognosis of the tooth. Root perforation is an artificial communication between the root canal system and the supporting tissues of the tooth or the oral cavity.²



The operator should immediately repair the furcation perforations with an endodontic material in order to minimize the bacterial contamination and the irritation of periodontal tissues because of the usage of endodontic irrigants. After repairing the furcal perforation, endodontic treatment should be performed with various irrigants including 2% chlorhexidine gluconate (CHX) and sodium hypochlorite (NaOCl) solutions to disinfect the root canal system. However, this procedure causes unavoidable contact of irrigants with the repair materials.

Biodentine proved to be a very biocompatible material and showed higher push-out bond strength. Push-out bond strength of Biodentine did not vary when exposed to various endodontic irrigants. The biomineralization ability of Biodentine, most likely through the formation of tags, may be the reason of the dislodgement resistance. Han and Okiji (14) showed that calcium and silicon ion uptake into dentin leading the formation of tag-like structures in Biodentine was higher.

The effect of various endodontic irrigants on the push-out bond strength of Biodentine (Septodont, Saint Maurdes Fosses, France) in comparison with contemporary root perforation repair materials. They have sectioned midroot dentin of canine teeth was horizontally into 1-mm-thick slices. The canal space of each dentin slice was enlarged with a diamond bur to 1.4 mm in diameter. The samples were divided into 5 groups ($n = 40$), and the following materials were placed, respectively: Biodentine, ProRoot MTA (Dentsply Tulsa Dental, Tulsa, OK), amalgam, Dyract AP (Dentsply DeTrey, Konstanz, Germany), and intermediate restorative material (IRM, Dentsply DeTrey). The samples were wrapped in wet gauze for 10 minutes and divided into 3 subgroups ($n = 10$) to be immersed into 3.5% NaOCl, 2% CHX, or saline for 30 minutes. No irrigation was performed in the controls ($n = 10$), and a wet cotton pellet was placed over each test material. After incubation for 48 hours, the dislodgement resistance of the samples was measured using a universal testing machine. The samples were examined under a stereomicroscope to determine the nature of the bond failures. Results were as follows Biodentine showed significantly higher push-out bond strength than MTA ($P < .05$). The statistical ranking of push-out bond strength values was as follows: Dyract AP > amalgam \$ IRM \$ Biodentine > MTA. The push-out bond strength of Dyract AP, amalgam, IRM, and Biodentine was not significantly different when immersed in NaOCl, CHX, and saline solutions, whereas MTA lost strength when exposed to CHX. They concluded Biodentine showed considerable performance as a perforation repair material even after being exposed to various endodontic irrigants, whereas MTA had the lowest push-out bond strength to root dentin. (J Endod 2013; 39:380-384)

Another study to evaluate the push-out bond strength of Biodentine and MTA Plus root perforation repair materials after irrigation with different endodontic irrigants. They have taken Forty freshly extracted single-rooted maxillary canines. The teeth were decoronated at the cemento-enamel junction using a water-cooled low-speed diamond disc. Midroot dentin was sectioned horizontally into slices by using a water-cooled low-speed diamond disk. The space of the canal was enlarged with a diamond bur. The root sections were randomly divided into two groups - Group I: Biodentine; Group II: MTA Plus.

Then the samples were wrapped in a wet gauze and placed in an incubator. Immediately after incubation, the samples were divided into three subgroups to be immersed into irrigating solutions - Group I: NaOCl; Group II: saline; Group III: CHX. The push-out bond strength values were measured by using a universal testing machine. The nature of bond failure was assessed under a stereomicroscope. One specimen from each group was randomly chosen for scanning electron microscopic examination. Results were as follows Biodentine showed significantly higher push-out bond strength than MTA Plus. They concluded Biodentine showed considerable performance as a perforation repair material even after being exposed to various endodontic irrigants, whereas MTA Plus had the lowest push-out bond strength to root dentin.

In Studies done by few researchers, they compared the push-out bond strength of Biodentine (Septodont, Saint Maurdes Fosses, France) and mineral trioxide aggregate (MTA) (Angelus, Londrina, PR, Brazil) when treated with 3% NaOCl and 2% CHX. They have taken Forty-six single canal premolars for this study, and the canal spaces were prepared with #5 Gates glidden drill (1.3 mm diameter). The dentin of these teeth was horizontally sectioned into 1-mm-thick slices at the mid-root level. The samples were divided into two groups ($n = 20$). Biodentine and MTA were placed into the canal space of dentin slices. The samples were wrapped in wet gauze for 10 min and divided into two subgroups ($n = 10$) to be immersed into 3% NaOCl and 2% CHX for 30 min. No irrigation was performed in the controls ($n = 3$). After incubation for 48 h, the dislodgement resistance of the samples was measured using a universal testing machine. The samples were examined under a stereomicroscope to determine the nature of the bond failures. Results were as follows Biodentine showed significantly higher push-out bond strength than MTA ($P < 0.05$) in the presence of both NaOCl and CHX. Within the MTA group. They concluded that push-out bond strength is the force needed for the displacement of the dental material tested. The various irrigants used during the root canal therapy may increase or decrease the push-out bond strength of a material.

Future Implications: Further in vitro and in vivo study required with larger sample size for better comparisons.

CONCLUSION

Within the limitation of this study, it can be concluded that the force needed for the displacement of Biodentine from root dentin was significantly high. Hence, NaOCl and CHX did not influence the resistance to the dislodgement of Biodentine. Biodentine also displayed a remarkably consistent performance even after exposure to NaOCl, CHX, and saline solutions despite the affected surface morphology in the present study. The alteration on the physical properties of Biodentine in CHX solution should be studied further before advocating the clinical application of Biodentine successively with CHX.

References

1. Hashem AA, Ghoneim AG, Lutfy RA, Fauda MY. The effect of different irrigating solutions on bond strength of two root canal filling systems. *J Endod* 2009 Apr;35(4):537-540.

2. Sahebi S, Moazami F, Sadat Shojaee N, Layeghneghad M. Comparison of MTA and CEM cement microleakage in repairing furcal perforation: an *in vitro* study. *J Dent (Shiraz)*
3. Hamed SA. Repair of root canal perforation by different materials. *J Bhag Coll Dent* 2011; 23:30-35.
4. Hartwell GR, England MC. Healing of furcation perforations in primate teeth after repair with decalcified freeze-dried bone: a longitudinal study. *J Endod* 1993;19:357-61.
5. Gancedo-Caravia L, Garcia-Barbero E. Influence of humidity and setting time on the push-out strength of mineral trioxide aggregate obturations. *J Endod* 2006;32:894-6.
6. Kogan P, He J, Glickman GN, *et al.* The effects of various additives on setting properties of MTA. *J Endod* 2006;32:569-72.
7. Shokouhinejad N, Nekoofar MH, Iravani A, *et al.* Effect of acidic environment on the push-out bond strength of mineral trioxide aggregate. *J Endod* 2010;36:871-4.
8. Hashem AA, Wanees Amin SA. The effect of acidity on dislodgment resistance of mineral trioxide aggregate and bioaggregate in furcation perforations: an *in vitro* comparative study. *J Endod* 2012;38:245-9.
9. Torabinejad M, Watson TF, Pitt Ford TR. Sealing ability of a mineral trioxide aggregate when used as a root end filling material. *J Endod* 1993;19:591-5.
10. Lee SJ, Monsef M, Torabinejad M. Sealing ability of a mineral trioxide aggregate for repair of lateral root perforations. *J Endod* 1993;19:541-4.
11. Belli S, Zhang Y, Pereira PN, *et al.* Adhesive sealing of the pulp chamber. *J Endod* 2001;27:521-6.
12. Chng HK, Islam I, Yap AU, *et al.* Properties of a new root-end filling material. *J Endod* 2005;31:665-8.
13. Torabinejad M, Parirokh M. Mineral trioxide aggregate: a comprehensive literature review-part II: leakage and biocompatibility investigations. *J Endod* 2010;36:190-202.
14. Johnson BR. Considerations in the selection of a root-end filling material. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1999;87:398-404.
15. Asgary S, Shahabi S, Jafarzadeh T, *et al.* The properties of a new endodontic material. *J Endod* 2008;34:990-3.
16. Han L, Okiji T. Uptake of calcium and silicon released from calcium silicate-based endodontic materials into root canal dentine. *Int Endod J* 2011;44:1081-7.
17. Koubi G, Colon P, Franquin JC, *et al.* Clinical evaluation of the performance and safety of a new dentine substitute, Biodentine, in the restoration of posterior teeth-a prospective study. *Clin Oral Investig* 2012 [Epub ahead of print].
18. Laurent P, Camps J, De M_{eo} M, *et al.* Induction of specific cell responses to a Ca(3) SiO(5)-based posterior restorative material. *Dent Mater* 2008;24:1486-94.
19. Laurent P, Camps J, About I. Biodentine_ induces TGF- β 1 release from human pulp cells and early dental pulp mineralization. *Int Endod J* 2012;45:439-48.
20. Loxley EC, Liewehr FR, Buxton TB, *et al.* The effect of various intracanal oxidizing agents on the push-out strength of various perforation repair materials. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2003; 95:490-4.
21. Yan P, Peng B, Fan B, *et al.* The effects of sodium hypochlorite (5.25%), chlorhexidine (2%), and Glyde File Prep on the bond strength of MTA-dentin. *J Endod* 2006; 32:58-60.
22. Thompson JI, Gregson PJ, Revell PA. Analysis of push-out test data based on interfacial fracture energy. *J Mater Sci Mater Med* 1999;10:863-8
23. Shokouhinejad N, Nekoofar MH, Iravani A, Kharrazifard MJ, Dummer PM. Effect of acidic environment on the push-out bond strength of mineral trioxide aggregate. *J Endod* 2010;36:871-4.
24. Assmann E, Scarparo RK, Böttcher DE, Grecca FS. Dentin bond strength of two mineral trioxide aggregate-based and one epoxy resin-based sealers. *J Endod* 2012;38:219-21
25. Guneser MB, Akbulut MB, Eldeniz AU. Effect of Various Endodontic Irrigants on the Push-out Bond Strength of Biodentine and Conventional Root Perforation Repair Materials. *J Endod* 2013;39:380-84
26. Tomer AK, Dayal C, Malik N, Bhardwaj G, Muni S, Sharma A. An *in vitro* Evaluation of the Push-out Bond Strength of Biodentine and MTA Plus Root Perforation Repair Materials after Irrigation with Different Endodontic Irrigants. *Int J Oral Care Res* 2016;4(1):53-57.

How to cite this article:

Nitika Tiwari *et al.* 2018, Effect of Chlorhexidine And Sodium Hypochlorite Irrigating Solutions on The Push-out Bond Strength of Biodentine Root Repair Material- A Systematic Review. *Int J Recent Sci Res.* 9(1), pp. 23502-23506.
DOI: <http://dx.doi.org/10.24327/ijrsr.2018.0901.1481>
